PRODUCT SPECIFICATION

1 December 2018

LARGE GRANULE CORK SHEETS

Binder	Polyurethane
Colour	Natural
Cork Granule Size	2 - 5mm

Test Method	Property	Unit	Value
ISO 7322	Specific Weight	Kg/m³	170 – 210
ISO 7322	Tensile Strength	kPa	≥ 400
ISO 7322	Compressibility	%	20 - 40
ISO 7322	Recovery	%	≥ 75
ISO 7322	Boiling Water	-	No disaggregation
	- 0		00 0

Storage

Temperature:	20ºC (±3 ºC)	Relative Humidity:	60% ±5%
remperaturer		neidelite mannaley.	00/0 20/0

RoHS Declaration

Pure Tree Ltd materials meet the requirements of RoHS Directive of European Union 2011/65/EU - Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment.

We do not intentionally add lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) or polybrominated diphenyl ether (PBDE) to any Cork Rubber and/or Cork Composition products.

Further, to the best of our knowledge, the Cork Rubber and Cork Composition materials do not contain any of the compounds listed above the indicated thresholds.

The response provided by Pure Tree Ltd is based upon our knowledge of the raw materials used in its manufacture in conjunction with chemical analysis performed on similar materials.

The information is accurate to the best of our knowledge.

Reach Declaration

According to REACH, the European Chemicals Agency (ECHA) have produced a list of substances, last revision in 19 of December 2012, that are designated as being Substances of Very High Concern (SVHC) and will become subject to Authorisation.

After analysing the revised List, Pure Tree Ltd declares that do not intentionally add any of those SVHC to our Cork Composition and Cork Rubber agglomerate and to the best of our knowledge the raw materials we use in our materials do not contain the listed substances.

Pure Tree Ltd Quality & Product Development

E&OE

ouretree cork