
AMORIM WISE

Smart choice.
Amazing sensations.

AMORIM CORK FLOORING

AMORIM WISE

WISDOM

Amorim WISE people apply experience, knowledge and ethics to make choices. They know that a clean environment is vital and that cork is the perfect solution for their homes. This is wisdom. This is being Amorim WISE.

IMAGINATION

Can we imagine the future? Yes. Taking the facts into our own hands allows us to build the future as planned. Amorim WISE people are creative and expect more from brands. They want innovation, creativity and insightful products. Amorim WISE answers to these demands by providing cutting-edge solutions.

SUSTAINABLE

Adopting a sustainable lifestyle is, more and more, a commitment made by people. Then it's natural to experiment and adopt sustainable practices. Amorim WISE is the brand that addresses this increasingly demanding public.

ENTHUSIASM

Despite everyday concerns, enthusiasm is one of the characteristics of Amorim WISE people. This attribute inspires contemporary generations to believe in a better future and to act for change. Because of technology, sustainability or new lifestyles. Why Amorim WISE? Because when these people find a brand capable of expressing that idea, the path to partnership is open.



When negative is extremely positive...

DO YOU KNOW WHAT "NEGATIVE CARBON FOOTPRINT" MEANS?

It is an extremely positive thing for the environment.

It's a breakthrough:

it means that more carbon is removed from the atmosphere than the one emitted to produce Amorim WISE. For this reason these products are CLIMATE POSITIVE.

IT ABSORBS CO₂ FROM THE ATMOSPHERE

A well-managed cork oak forest can retain 14.7 tons of CO₂ per hectare and per year.

But it is more than a simple promise, because this goal is expressed by real benefits.

Amorim WISE provides a high level of indoor air quality.

IT HELPS TO REDUCE GLOBAL WARMING

AMORIM WISE is Sustainable

With respect for nature and wellbeing as its core values, Amorim WISE has reached a remarkable Negative Carbon footprint, helping to reduce Global Warming Potential.

Amorim WISE floors are the purest outcome of a Circular Economy model that aims to turn waste and used cork stoppers into a valuable and sustainable product.



9 YEARS

The period of time between each cork oak harvesting.

100.000

Direct and indirect jobs are created by the cork industry.

NO TREES ARE DAMAGED

Or cut down.

CO₂ RETENTION

The cork oak tree retains 5x more CO₂ from the atmosphere than any other tree, helping to reduce Global Warming Potential.

CORK HARVESTING

Is the highest paid agricultural job in the world.

200 YEARS

The average lifespan of a cork oak tree.

Sustainable by heart



Environment

No trees are damaged or cut down during harvesting. The cork oak forest retains 5x more CO₂ from the atmosphere helping to reduce Global Warming Potential (GWP).



Close distances

Factories are located within few kms from the forests.



Economy

The cork oak forest creates jobs in the cork industry and in other related industries.



Reincorporation of waste

Any cork waste and surplus is collected, granulated and reincorporated in the production process, originating a lower carbon footprint.



Social Impact

The cork industry promotes settlement in areas at risk of desertification. Cork harvesting is an activity that crosses generations.



Biomass

The dust from the production lines is vacuumed and conducted to silos, where it is burned to generate energy through biomass. 65% of our energy comes from cork dust.

A modern interior space with a large window, a white chair, a tripod lamp, and a side table with a plant.

To preserve nature is to value life.

Sustainability is much more than protecting and preserving nature. It is, first and foremost, the concept of finding balance between us as human beings and our natural environment.

One of the core values of Amorim WISE is the **Respect for Nature**. Its portfolio has a remarkable negative carbon footprint, helping to reduce global warming potential and promoting people's well-being.

Beyond its remarkable sustainability credentials, Amorim WISE is also a **high end product** that combines high quality with avant-garde and unique design. Inventiveness, inspiration, expertise and innovation are some of the words that describe Amorim WISE products.

Available in 3 different visuals such as cork, wood and stone, Amorim WISE is available in 2 technical solutions, Inspire 700 and Pure.

Amorim WISE portfolio combines unique properties and the sustainability of cork, with innovative design and state of the art technology.

Smart choice, amazing sensations.

Your feet will love this soft walk.

Amorim WISE has a modern design with the trendiest colours available in Cork, Wood and Stone looks.

This means you can have unique and distinctive spaces: **beautiful to see, comfortable to walk on.**



Contempo Ivory

cork inspire 700
pure

wood inspire 700

stone inspire 700
pure

The comfort of **AMORIM WISE**



INDOOR AIR QUALITY

Compliance with the strictest indoor air quality standards after being tested on over 2000 potential chemicals.



WALKING COMFORT

Superior sense of comfort, even when walking barefoot.



NATURAL THERMAL INSULATION

Optimal floor temperature all year round.



IMPACT RESISTANCE

Highest shock absorbing performance.



SILENCE

Walking sound reduction up to 53%.

A woman with long dark hair, wearing a white button-down shirt and blue jeans with a tear at the knee, is sitting on a light-colored wooden floor. She is leaning against a rustic brick wall. Behind her is a large green plant in a gold-colored pot. The scene is lit with warm, natural light from a window on the right.

AMORIM WISE CORK

Being inspired by Nature
is the beginning.

cork inspire 700 HRT

A sustainable flooring solution, with a remarkable negative carbon footprint and a waterproof multilayered cork structure. The cork designs give the floor a distinctive look and personality, where each plank is unique by Nature. The natural touch and feel, combined with the highly resistant HRT finish, is the best solution for those who prefer a flooring with superior comfort and excellent thermal and acoustical performance.

HRT NON PVC PROTECTIVE SURFACE

Class of use 33

NATURAL CORK VENEER

COMFORT +

Cork inlay

NON PVC CORK RIGID CORE

ANGLE/ANGLE INSTALLATION SYSTEM

COMFORT +

Integrated cork underlay



Formats

1225 x 190 x 7mm
48 15/64" x 7 31/64" x 9/32"



Floating



4 side micro bevel

Finishing & Warranty



HRT – HIGH RESISTANCE TECHNOLOGY

Highly elastic resin, resulting on a natural and flexible surface with a superior wear resistance. HRT is micro scratch resistant, prevents color shading and provides a warm and pleasant feeling on touch. HRT is produced with environmentally sustainable materials.



The product samples images in this collection were cut from a larger piece. Decor and shade may vary slightly.




Fashionable Antique White

AA8K001



Fashionable Cement

AA8L001



Fashionable Grafite


AA8M001



Fashionable Grafite



Shell Marfim



Shell Marfim

AA8D001



Shell Jasmin

AA8C001



Identity Moonlight

AA2N001



Identity Chestnut

AA3G001



Identity Nightshade

AA2L001



Identity Moonlight



Lane Antique White



Lane Antique White

AA8J001



Lane Antracite

AA8H001



Lane Camel

AA8I001



Originals Harmony

AA8F001



Originals Shell

AA8E001



Originals Rhapsody

AA8G001




Original Rhapsody



Traces Marfim

AA8A001



Traces Jasmin

AA7Z001



Traces Natural

AA8B001



Traces Spice

AA4N001



Traces Tea

AA4M001



Traces Chestnut

AA5R001




cork_{pure}

Cork in its full expression! One of the most sustainable flooring solutions, that comes from a renewable resource where no trees are cut down. The handmade cork veneers are truly unique, assuring no repetitions and that each plank has a distinctive character. The glue down installation system allows for additional creativity on the design patterns, enabling the conception of special spaces. The natural cork structure provides superior comfort and environmental performance for residential and commercial areas.

PROTECTIVE SURFACE

GENUINE CORK VENEER

AGGLOMERATED CORK 3,2MM



Formats

600 x 300 x 4mm
23 5/8" x 11 13/16" x 5/32"



Finishing & Warranty




For domestic areas that need a natural look and a soft touch, PU is the right solution.




* Must be varnished on-site with minimum one coat of W-2000 or another recommended varnish.



Available in 10 colours & 10 cork patterns



Moonlight



Antique White



Champagne




Camel



Natural



Tea




Antracite



Cement



Grafite




Chestnut



Shell




Accent




Identity




Traditional



Personality



Symphony



Fashionable



Lane



Reed



Traces



A man with a grey beard and hair, wearing a white long-sleeved shirt and dark blue jeans, is reclining in a modern brown leather chair. He is barefoot and has his hands behind his head, looking out a large window with a wooden frame. The floor is made of light-colored wood. The background outside the window shows lush green trees and a white building.

AMORIM WISE WOOD

wood inspire 700 HRT

Trendy wood visuals designed for a more contemporary look combined with superior comfort and excellent thermal and acoustical performance. These features are provided by the waterproof multilayer cork structure. Unlike hardwood floors, no trees are cut down to produce our products, transforming them in an extremely sustainable solution that contributes to the reduction of global warming potential.

HRT NON PVC PROTECTIVE SURFACES

Class of use 33

WOOD HIGH RESOLUTION IMAGE

Non PVC

COMFORT +

Cork inlay

NON PVC CORK RIGID CORE

ANGLE/ANGLE INSTALLATION SYSTEM

COMFORT +

Integrated cork underlay



Formats

1225 x 190 x 7mm
48 15/64" x 7 31/64" x 9/32"



Floating



4 side micro bevel

Finishing & Warranty



HRT – HIGH RESISTANCE TECHNOLOGY

Highly elastic resin, resulting on a natural and flexible surface with a superior wear resistance. HRT is micro scratch resistant, prevents color shading and provides a warm and pleasant feeling on touch. HRT is produced with environmentally sustainable materials.



The product samples images in this collection were cut from a larger piece. Decor and shade may vary slightly.



Classic Walnut



Classic Walnut

ADH7001



Sahara Oak

ADJ1001



Beachwood

ADJ8001



American Walnut

ADK1001



Brooklyn Oak

ADJ7001



Smoky Barnwood

ADJ6001



Indian Oak

ADK3001



Washed Arcaine Oak



Washed Arcaine Oak

ADG1001



Taupe Washed Oak

ADK2001




Royal Gold Oak

ADJ2001




Washed Castle Oak

ADG4001



Smoked Grey Oak

ADJ5001




Natural Brown Oak

ADJ3001



Dark Premium Oak

ADJ9001



Dark Amber Oak

ADJ4001



Washed Highland Oak



Washed Highland Oak

ADG3001




Washed Haze Oak

ADG2001



Prime Desert Oak

ADF5001




Classic Prime Oak

ADF4001



Golden Prime Oak

ADF7001



Country Prime Oak

ADF8001



Prime Arctic Oak



Prime Arctic Oak
ADF6001



Rustic Forest Oak

ADG0001



Rustic Eloquent Oak

ADF9001



Dapple Oak

ADF1001



Sherwood Oak

ADK0001



Nebula Oak

ADF3001



Coal Oak

ADF2001

wood inspire 700 SRT

The timeless beauty of wood enhanced by cork's unique sustainability and comfort. The PVC free SRT technology is perfect for intensive use in residential and commercial areas due to its superior wear and mechanical resistance. The high end designs are achieved without cutting down trees, while the waterproof multilayered cork structure contributes to the reduction of global warming due to its negative carbon footprint.

SRT NON PVC PROTECTIVE WEAR LAYER

Class of use 33

WOOD PRINTED FILM

Non PVC

COMFORT +

Cork inlay

NON PVC CORK RIGID CORE

ANGLE/ANGLE INSTALLATION SYSTEM

COMFORT +

Integrated cork underlay



Formats

1225 x 190 x 7mm
48 15/64" x 7 31/64" x 9/32"



Floating



4 side micro bevel

Finishing & Warranty



SRT – SUPERIOR RESISTANCE TECHNOLOGY

Non-PVC Superior resistance technology wear layer developed to adapt to the multilayered construction with excellent behavior for heavy commercial traffic. Provides a superior sense of comfort, high mechanical strength and stain resistance.



The product samples images in this collection were cut from a larger piece. Decor and shade may vary slightly.



White Forest Oak

AEUS001



Natural Light Oak

AEUM001



Natural Dark Oak

AEUK001



White Forest Oak



Beach House

AEUR001



Barnwood

AEUW001



Farmhouse

AEUQ001




Highland Oak

AEYC001



Diamond Oak

AEYI001



Contempo Ivory

AEUD001



Treehouse



Treehouse

AEUP001



Contempo Loft

AEUA001



Contempo Copper

AEUB001



Contempo Rust

AEUC001



Ocean Oak

AEYF001




Quartz Oak

AEYM001



Mystic Grey Oak

AEUV001



Dark Forest Oak

AEUT001



Dark Onyx Oak



Dark Onyx Oak

AEYK001



Mocca Oak

AEYL001



Mountain Oak

AEYA001



Field Oak

AEYG001



Cyber Oak

AEYJ001



Manor Oak

AEYE001



Chocolate Brown Oak



Chocolate Brown Oak

AEUU001



Sprucewood

AEYB001



Royal Oak


AEYD001

A woman with long dark hair is sitting cross-legged on a grey stone tile floor. She is wearing a dark olive green long-sleeved shirt and dark blue jeans. She has orange over-ear headphones on her head and is looking upwards with a serene expression. The background is a lush green wall made of wooden slats and various trailing plants. A smartphone lies on the floor next to her feet.

AMORIM WISE STONE

stone inspire 700 HRT

The beauty of selected stone visuals combined with the unmatched properties of cork. When it comes to superior walking comfort, assuring a perfect temperature year round and a silent environment, this product performs. The HRT surface together with a waterproof cork structure will provide durability and ease of maintenance, while the floating system assures a quick and hassle free installation. The stone designs are achieved without harming Nature and also absorb CO₂ from the atmosphere.



Formats

Stone Inspire 700

910 x 300 x 7mm
35 13/16" x 11 13/16" x 9/32"



Finishing & Warranty



HRT – HIGH RESISTANCE TECHNOLOGY

High elastic resin, resulting on a natural and flexible surface with a superior wear resistance. HRT is micro scratch resistant, prevents color shading and provides a warm and pleasant feeling on touch.



stone pure HRT


High end stone designs, with a distinctive look given by the large tile format. Entirely made out of cork, its superior comfort comes from Nature, providing a warm atmosphere, reducing energy costs and creating silent spaces. This flooring solution also contributes for a better future, since it helps the reduction of global warming.

Technical solution

HRT NON PVC PROTECTIVE SURFACE

STONE HIGH RESOLUTION IMAGE

AGGLOMERATED CORK 7MM



Formats

Stone Pure

900 x 600 x 8mm
35 7/16 x 23 5/8 x 5/16 *



Finishing & Warranty



HRT – HIGH RESISTANCE TECHNOLOGY

High elastic resin, resulting on a natural and flexible surface with a superior wear resistance. HRT is micro scratch resistant, prevents color shading and provides a warm and pleasant feeling on touch.





Beton Nordic

AH8Z001 Stone Pure* | AD8Z001 Stone Inspire 700



Beton Urban

AH9A001 Stone Pure* | AD9A001 Stone Inspire 700




Beton Nordic



Beton Corten

AH9B001 Stone Pure* | AD9B001 Stone Inspire 700



Beton Midnight

AH9C001 Stone Pure* | AD9C001 Stone Inspire 700





Concrete Nordic

AH9D001 Stone Pure* | AD9D001 Stone Inspire 700



Concrete Urban

AH9E001 Stone Pure* | AD9E001 Stone Inspire 700



Concrete Corten

AH9F001 Stone Pure* | AD9F001 Stone Inspire 700




Concrete Midnight

AH9G001 Stone Pure* | AD9G001 Stone Inspire 700



Azulejo Forest

AH9J001 Stone Pure* | AD9J001 Stone Inspire 700



Azulejo Cellar

AH9K001 Stone Pure* | AD9K001 Stone Inspire 700



Azulejo Forest



Azulejo Sand

AH9H001 Stone Pure* | AD9H001 Stone Inspire 700



Azulejo Cityzen

AH9I001 Stone Pure* | AD9I001 Stone Inspire 700

Technical data sheet

	Standard	Unit	Value (Cork HRT)	Value (Wood HRT)	Value (Wood SRT)
Level of use Domestic	ISO 10874	Class	Class 23	Class 23	Class 23
Level of use Commercial	ISO 10874	Class	Class 33	Class 33	Class 33

General properties - EN 16511

Thickness	ISO 24337	mm	nominal $\pm 0,25$	nominal $\pm 0,25$	nominal $\pm 0,25$
Length	ISO 24337	$\Delta\Delta\Delta l \leq 0,5 \text{ mm}$	nominal value 1225 mm	nominal value 1225 mm	nominal value 1225 mm
Width	ISO 24337	$\Delta \text{ wavg} \leq 0,10 \text{ mm}$, relative to nominal value $w_{\text{max}} - w_{\text{min}} \leq 0,20 \text{ mm}$	nominal value 190 mm	nominal value 190 mm	nominal value 190 mm
Squareness	ISO 24337	$q_{\text{max}} (\text{mm})$	$\leq 0,20$	$\leq 0,20$	$\leq 0,20$
Straightness	ISO 24337	$s_{\text{max}} (\text{mm/m})$	$\leq 0,30$	$\leq 0,30$	$\leq 0,30$
Openings	ISO 24337	mm	$\leq 0,20$	$\leq 0,20$	$\leq 0,20$
Height difference	ISO 24337	mm	$\leq 0,15$	$\leq 0,15$	$\leq 0,15$
Flatness of the panel (Length - concave / convex)	ISO 24337	%	$\leq 0,50 / \leq 1,00$	$\leq 0,50 / \leq 1,00$	$\leq 0,50 / \leq 1,00$
Flatness of the panel (Width - concave / convex)	ISO 24337	%	$\leq 0,15 / \leq 0,20$	$\leq 0,15 / \leq 0,20$	$\leq 0,15 / \leq 0,20$

Classification properties - EN 16511

Wear resistance IP	EN 15468, procedure B	n° revolutions	> 5000 revolutions	> 5000 revolutions	> 5000 revolutions
Impact resistance [mm] (big ball)	EN 13329:2006+A1:2008, Annex F	mm	≥ 1600	≥ 1600	≥ 1600
Effect of furniture leg	EN 424 (tested with foot type 0) ISO 16581		no visible change / damages	no visible change / damages	no visible change / damages
Castor chair resistance	EN 425	Visual effect after 25 000 cycles	no visible change / damages	no visible change / damages	no visible change / damages
Dimensional stability due to variation of temperature	EN ISO 23999	%	$\leq 0,15$	$\leq 0,15$	$\leq 0,15$

Safety properties - EN 14041

Slip Classification	N 13893		DS	DS	DS
Formaldehyde emission	EN 717-1		E1	E1	E1
Content pentachlorophenol (PCP)	EN 14041, Annex B	%	Undetectable	Undetectable	Undetectable
Thermal conductivity	EN 12667	W/(mK)	0,111	0,111	0,135
Thermal resistance	EN 12667	(m²K)/W	0,06	0,06	0,05

Additional properties

Resistance to staining	EN 438-2: Group 1 only 10 min	Grade ^(a)	Grade 5 ^(b)	Grade 5 ^(b)	Grade 5 ^(b)
Swelling	ISO 24336	%	< 1	< 1	< 1
Impact sound reduction	EN ISO 10140 -3	dB ($\Delta\Delta L_w$)	18	18	15
Walking noise	IHD-W431	dB %	Reduction improvement 18,5 dB Difference of loudness 65%	Reduction improvement 18,5 dB Difference of loudness 65%	Reduction improvement 9,2 dB Difference of loudness 39%

(a) Grade 5 - No change / Grade 4 - Slight change / Grade 3 - Moderate change / Grade 2 - Considerable change / Grade 1 - Strong change

(b) Group 3: Grade 4

Maintenance

Optimal care for an everlasting beauty

To keep your floor spotless, Amorim has a set of auxiliary products available. Each of these has a specific purpose and is designed to make the caring of your floor as easy as possible. To be aligned with Amorim's commitment to wellbeing, we recommend the use of auxiliary products (levelling compounds, primers, adhesives or varnishes) that have low-emissions to the environment.

Regular Maintenance



Soft Cleaner

This mild detergent is appropriate for weekly or even daily cleaning. It can be used to remove dirt, stopping it from infiltrating in the joints and in the regular embossing of the product.



Spray Cleaner

Designed for regular cleaning, this mild detergent has the advantage of being a spray, which makes it a quick and easy solution to apply directly on the floor. It is very effective in cleaning dirt or grease stains.

Skirtings

In order to help create a more classy and harmonious interior, Amorim provides skirting profiles to complement your floor. Create your ideal transition between the walls and the floor, whether by an exact match or contrasting colours.

Contact your supplier for information on the available skirting references.



TÜV-PROFICERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).



As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/commercial buildings.



CE marking is a certification mark that indicates conformity with health, safety and environmental protection standards for products sold within the European Economic Area (EEA).



Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.



The Blue Angel is a voluntary certification that guarantees that a product or service meets high standards when it comes to its environmental, health and performance characteristics. In the process, these products and services are always evaluated across their entire life cycle.



An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.

Amorim Cork Flooring, S.A.

Rua do Ribeirinho 202 - P.O. Box 13

4536-907 S. Paio de Oleiros - Portugal

T. +351 22 747 56 00 E. info.acf@amorim.com

www.amorimwise.com

DE	Amorim Deutschland GmbH (+49) 4221 5 93-01	info.acf.de@amorim.com
BE NE LUX	Amorim Benelux B.V. (+31) 166 604 111	info.acf.bnl@amorim.com
AT	Amorim Deutschland GmbH (+43) 1 54 51 65 10	info.acf.at@amorim.com
CH	Amorim Flooring Switzerland AG (+41) 41 726 20 20	info.acf.ch@amorim.com
PT	Amorim Revestimentos, S.A. (+351) 227 475 600	info.acf@amorim.com
ES	Amorim Revestimentos, S.A. (+351) 227 475 600	info.acf.es@amorim.com
FR	Amorim Revestimentos, S.A. (+33) 800 914 848	info.acf.fr@amorim.com
DK	Timberman Denmark A/S (+45) 995 252 52	timberman@timberman.dk
PL	Dom Korkowy, Sp. z o.o. (+48) 126 379 639	krakow@domkorkowy.pl
US	Amorim Flooring North America (+1) 410 553 60 62	info.acf.us@amorim.com
RU	Amorim Flooring Rus, OOO (+7) 495 280 7860	info.acf.ru@amorim.com
IT	Amorim Revestimentos, S.A. (+39) 800 790 805	info.acf.it@amorim.com
FI	Korkkitrio Oy (+358) 50 554 2616	wicandersmyynti@korkkitrio.fi
SW	Amorim Flooring Sweden (+46) 311 077 40	info.acf.se@amorim.com